

QUOTATION

Sub: Providing power supply and light fitting in AC Plant at CC Basement.

S.N.	Description	Qty.	Unit	Rate (In words & Figures)	Amount
1	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required.				
a	Group 'C'	12.00	Nos.		
2	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/recessed steel/PVC conduit as reqd.				
a	3 x 4 Sq.mm	30.00	Mtr		
3	Supplying and fixing of following sizes of steel conduit along with accessories in surface/recess including painting in case of surface conduit, or cutting the wall and making good the same in case of recessed conduit as reqd.				
a	25 mm	25.00	Mtr		
4	Supplying and fixing following of size/modules, GI box along with modular base & cover plate for modular switches in recess etc as reqd.				
a	6 module (200mm x 75mm)	2.00	Nos.		

S.N.	Description	Qty.	Unit	Rate (In words & Figures)	Amount
5	S/F, connecting, testing and commissioning 2 x 20 watt LED tube fitting surface mounting/ceiling suspended luminaires suitable mounting rail for T-LED lamps with 2 No. 20 watt T-LED lamps and connection etc.as reqd	8.00	Nos.		
6	Supplying and fixing following modular switch/socket on the existing modular plate & switch box/ DLP plastic trunking including connections but excluding modular plate etc as reqd.				
a	15/16 amps switch	4.00	Nos.		
b	6 pin 15/16 amps socket outlet	4.00	Nos.		
7	Supply, Installation, testing & commissioning of Ceiling fan of following 220 volts 50 Hz without regulator l/c wiring the down rods of standard length up to 30 cm with 1.5 sqmm PVC insulated copper conductor single core cable etc as reqd.				
a	1200 mm sweep	4.00	Nos		
8	Supplying & Laying of one no. PVC insulated & PVC sheathed aluminium conductor steel armoured cable of size 3-1/2x25 sqmm 1.1kV grade .				
a	On surface with MS clamp	15.00	Mtr.		
b	In open duct	25.00	Mtr.		
9	Supplying & Laying of one no. PVC insulated & PVC sheathed aluminium conductor steel armoured cable of size 3-1/2x50 sqmm 1.1kV grade .				
a	On surface with MS clamp	30.00	Mtr.		
b	In open duct	5.00	Mtr.		

S.N.	Description	Qty.	Unit	Rate (In words & Figures)	Amount
10	Lifting & removing cable of following sizes from trenches or clamped on surface, making rol depositing the same in the store l/c cartage etc as reqd.				
a	Above 35 sqmm to 95 sqmm	40.00	Mtr.		
11	Supplying and making end termination with brass compression gland with aluminium lugs for following size of PVC insulated & PVC sheathed/XLPE aluminium cable of 1.1kV grade as reqd.				
a	3-1/2x25 sqmm	2.00	Nos.		
b	3-1/2x 50 sqmm	2.00	Nos.		
12	Dismantling damaged DB/TPN Switches/ loose wire boxes/ M.S. boxes alongwith all accessories and depositing the same in the store as reqd.	16.00	Nos.		

TOTAL Rs.


राघवेंद्र सिंह
RAGHVENDRA SINGH
 ए.पी. अनिकेता (वि०) E.E. (Elect.)
 वि०वि०, बी०पी० संस्थान, कानपुर
 E.W.D., I.I.T., Kanpur