

Quotation

Sub:-	Replacement of defective electrical items like wire, DLP, Switch & socket and LED lights etc in NL-II, LH-18,19 & 20, CL-103D, LH-19, JEE/GATE etc other labs and offices in academic area on complaint basis.				
SL No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
1.00	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.				
1.01	3 x 1.5 sq. mm	70.00	Metre	98.29	6880.32
1.02	3 x 2.5 sq. mm	5.00	Metre	141.74	708.72
2.00	Supply and fixing of 32 x 20 mm DLP mini- trunking white-system with independent cover etc. as required complete.	15.00	Meter	225.55	3383.25
3.00	Supply and fixing of following accessories suitable for 32 mm x 20 mm size plastic trunking white system.				
3.01	End cap	1.00	Nos.	147.95	147.95
3.02	internal / external angle	2.00	Nos.	140.71	281.42
3.03	changeable flat angle	2.00	Nos.	118.98	237.97
4.00	Supply, installation, testing and commissioning of following LED lamp in existing fitting as required complete.				
4.01	20 watt ESENTIAL PHILIPS or equivalent Tube in place of 36/40 W FL tube	19.00	Nos.	371.43	7057.24
5.00	Supply and fixing of following LED light fixture with efficiency >100 lumen/ watt, P.F. >0.95, THD<10%, Electronic driver, LED lamp, reflector, diffuser, MS body/housing holder etc. complete with all fixing accessories and lamp as required complete.				
5.01	1 X 20W Box type LED tube with fitting	6.00	Nos.	982.90	5897.41
5.02	12 watt recess mounting LED light fixture	2.00	Nos.	999.46	1998.91
5.03	18 watt recess 300 x 300 mm mounting LED light fixture	5.00	Nos.	1317.09	6585.44
5.04	18 watt surface mounting 300 x 300 mm LED light fixture	14.00	Nos.	1317.09	18439.25
5.05	36 watt recess mounting LED light fixture 600 x 600 mm	6.00	Nos.	3030.44	18182.66
5.06	36 watt recess mounting LED light fixture 300 x 1200 mm	1.00	Nos.	5394.58	5394.58
5.07	36 watt surface mounting LED light fixture 300 x 1200 mm	5.00	Nos.	4161.30	20806.49
6.00	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.				
6.01	5/6 A switch	6.00	No.	106.57	639.40
6.02	15/16 A switch	3.00	No.	161.40	484.21
6.03	3 pin 5/6 A socket outlet	2.00	No.	126.23	252.45

SL No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
6.04	6 pin 15/16 A socket outlet	3.00	No.	203.82	611.47
6.05	Blanking Plate	3.00	No.	41.39	124.16
7.00	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc, as required.				
7.01	1 or 2 Module	1.00	No.	137.61	137.61
7.02	3 Module	1.00	No.	156.23	156.23
7.03	6 Module	1.00	No.	188.30	188.30
7.04	12 Module	1.00	No.	281.42	281.42
8.00	Supplying and fixing following size/ modules, plastic box for modular switches in recess etc as required.				
8.01	1 or 2 Module	1.00	Nos.	326.94	326.94
8.02	3 Module	1.00	Nos.	341.43	341.43
8.03	6 Module	1.00	Nos.	386.95	386.95
9.00	Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CM/M/W) minimum 6.00, Air delivery minimum 210 Cum/Min, 350 RPM (tolerance as per IS : 374-2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply, earthing etc. complete as required.	1.00	Each	2824.55	2824.55
10.00	Dismantling, disconnecting old damaged unserviceable fl fitting/ exhaust fan/ ceiling fan/ bulkhead fitting with bracket etc. as reqd. and depositing in sectional store.	34.00	Nos.	122.09	4150.95
11	Overhauling of ceiling fan of any size including dismantling and refixing of fan, bearings, checking, cleaning the all parts and supply & replacement of rubber seal, rubber rings, nut bolts, hanger clamps, bearing plates, cotter/ split pin, varnishing if reqd etc, reassembling testing and commissioning of fan as required complete.	6.00	Nos.	510.07	3060.45
12	Supplying and fixing following capacity capacitor suitable for ceiling fan / exhaust fan / air-curtain etc..				
12.01	2.5 mfd	5.00	Nos.	132.43	662.17
13	Repairing of housing for bearing side /bush side /in fan body in ceiling fan /exhaust fan / rally fan etc.	2.00	Nos.	303.15	606.30

SL No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
14.	Rewinding of exhaust fans of following sizes i/c dismantling cutting the damaged winding and providing rewinding along with insulation paper, varnish, connecting copper leads of suitable quality including dismantling and refixing from normal/abnormal height and refixing as required.(old burnt wire shall be retain by the contractor.)				
14.01	Rewinding of exhaust fan15"	1.00	Nos.	1683.35	1683.35
15	Carriage of Ceiling fan and regulator / exhaust fan from store to site as reqd.	2.00	Nos.	39.32	78.63
	Estimated Rs.				112998.58
	Say Rs. (i/c GST)				112999.00
	Quoted percentage Above/Below				
	Quoted Amount (Rs.)				

Bidder Signature & Date

*R. Patel
22/12/20*

Bidder Seal

तालुकी देवदारा
TALUK DEVARA
जामिलवी जामिलवी
Executive Engineer (E.E.)
संस्था, असांग नवी, एस. ए. ए.
I.W.D. I.W.T. Kanpur