

INDIAN INSTITUTE OF TECHNOLOGY KANPUR
INSTITUTE WORKS DEPARTMENT
CENTRAL OFFICE

CORRIGENDUM-I

Notice Inviting Tender No. 41/Civil/2026-27
Tender ID: 2026_IITK_926252_1

Name of Work: Supply of Hardware Fittings, Sanitary and Water Supply Fittings & Fixtures at IWD Store, IIT Kanpur

CONTENTS as per BoQ				READ AS		
Sl. No.	Item Description	Item Title	Preferred Make	Item Description	Item Title	Preferred Make
10	Supply of Stainless steel Curtain Rod(heavy type), Dia 20 mm, length 12 feet	SS-Curtain Rod(Pipe) Dis 20 mm length 20 ft	Sandhu/Hin dalco/FLY Rail	Supply of Stainless steel Curtain Rod SS 304 grade, medium duty dia 19 mm, length 12 feet	SS-Curtain Rod SS 304 grade, medium duty dia 19 mm, length 12 feet	Sandhu / Fly Rail /Jindal /Mahavir Metal Corporation
11	Supply of Stainless Steel Bracket 'L' Type 20 mm (heavy type)	SS-Bracket 'L' Type 20 mm	Sandhu/Hin dalco/FLY Rail	Supply of Stainless Steel Bracket 'L' Type 20 mm (Heavy duty)	SS-Bracket 'L' Type 20 mm	Sandhu / Fly Rail /Jindal /Mahavir Metal Corporation
12	Supply of Stainless Steel Bracket 'T' Type 20 mm (heavy type)	SS-Bracket 'T' Type 20 mm	Sandhu/Hin dalco/FLY Rail	Supply of Stainless Steel Bracket 'T' Type 20 mm (Heavy duty)	SS-Bracket 'T' Type 20 mm	Sandhu / Fly Rail /Jindal /Mahavir Metal Corporation
14	Supply of Aluminium weather strip door bottom seals with brush or rubber in black or brown colour, Size 36" L x 1.5 " W	Al-Rubber door stopper (Double)	Beeta/ Betlex	Supply of Aluminium hanging floor door stopper ISI marked anodized anodic coating not less than grade AC10 as per IS 1868 (twin rubber stopper)	Aluminium hanging floor door twin rubber stopper	Classic/ Ebco/ Kilong

18	Supply of bright finished brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles.	Brass Mortice Latch & Lock 100 x 65 mm	Godrej /Harrison	Supply of bright finished brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles.	Brass 100 mm mortice latch and lock with a pair of lever handles.	Godrej /Harrison
19	Supply of aluminium extruded section tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories.	Iron hydraulic door closer	Hyper / Godrej / Kich	Supply of aluminium extruded section tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories.	Hydraulic door closer	Hyper / Godrej / Kich
45	Supply of Aluminium weather strip door bottom seals with brush or rubber in black or brown colour, Size 36" L x 1.5 " W	Door Sealer 900 x 30 mm	Beeta/ Betlex	Supply of Aluminium weather strip door bottom seals with brush or rubber in black or brown colour, Size 36" L x 1.5 " W	Aluminium weather strip door bottom seal 36"x1.5"	Beeta/ Betlex
51	Supply of looking mirror glass pane sheet (6'0"x 4'0") of nominal thickness 5.5 mm .	Glass mirror sheet 6 mm (6' x 4')	Modiguard /Saint Gobain / AIS	Supply of looking mirror glass pane sheet (6'0"x 4'0") of nominal thickness 5.5 mm .	Glass mirror sheet 5.5 mm (6' x 4')	Modiguard /Saint Gobain / AIS
55	Supply of stainless Steel Wire mesh (50' x 4')	Stainless steel wiremesh ('50x4')	Parryware /Cera / Prayag	Supply of fly proof stainless Steel Grade 304 Wire gauge with 0.5 mm dia wire & 1.4 mm wide aperture of approved manufacture in roll of 50' x 4'	Stainless steel grade 304 wire gauge (50'x4') roll	Any make conforming the IS standard
63	Supply of brass ball cock with full brass rod of approved quality, High or low pressure, with plastic floats, Size 15 mm	Brass Ball Cock 15 mm	UNIK/Viking	Supply of brass ball cock with full brass rod of approved quality, High or low pressure, with plastic floats, Size 15 mm	Brass Ball Cock with full brass rod with plastic floats 15 mm	Leader / Zoloto / UNIK / Viking

[Signature]

64	Supply of brass ball cock with full brass rod of approved quality, High or low pressure, with plastic floats, Size 20 mm	Brass Ball Cock 20 mm	UNIK/Viking	Supply of brass ball cock with full brass rod of approved quality, High or low pressure, with plastic floats, Size 20 mm	Brass Ball Cock with full brass rod with plastic floats 20 mm	Leader / Zoloto / UNIK / Viking
65	Supply of brass ball cock with full brass rod of approved quality, High or low pressure, with plastic floats, Size 25 mm	Brass Ball Cock 25 mm	UNIK/Viking	Supply of brass ball cock with full brass rod of approved quality, High or low pressure, with plastic floats, Size 25 mm	Brass Ball Cock with full brass rod with plastic floats 25 mm	Leader / Zoloto / UNIK / Viking
66	Supply of brass ball cock with full brass rod of approved quality, High or low pressure, with plastic floats, Size 32 mm	Brass Ball Cock 32 mm	UNIK/Viking	Supply of brass ball cock with full brass rod of approved quality, High or low pressure, with plastic floats, Size 32 mm	Brass Ball Cock with full brass rod with plastic floats 32 mm	Leader / Zoloto / UNIK / Viking
67	Supply of brass ball cock with full brass rod of approved quality, High or low pressure, with plastic floats, Size 40 mm	Brass Ball Cock 40 mm	UNIK/Viking	Supply of brass ball cock with full brass rod of approved quality, High or low pressure, with plastic floats, Size 40 mm	Brass Ball Cock with full brass rod with plastic floats 40 mm	Leader / Zoloto / UNIK / Viking
68	Supply of brass stop cock with full brass stop of approved quality, High or low pressure, with plastic floats, Size 15 mm	Brass Stop Cock 15 mm	UNIK/Viking	Supply of brass stop cock of approved quality & as per IS: 781 (having hydrostatic test pressure 1.5 Mpa), 15 mm nominal bore	Brass Stop Cock 15 mm nominal bore	Leader / Zoloto / Unix / Viking
69	Supply of full Brass Ball Valve, size 25 mm	Brass Ball Valve 25 mm	UNIK/Viking	Supply of full Brass Ball Valve, size 25 mm	Brass Ball Valve 25 mm	Leader / Zoloto / UNIK / Viking
70	Supply of full Brass Ferul, size 20 mm	Brass Ferul 20 mm	UNIK/Viking	Supply of ISI marked ferrule cock of approved quality and meet all requirement as per IS 2692: 1989, size 20 mm	Brass Ferrule cock 20 mm	Leader / Zoloto / Unix / Viking
75	Supply of C.P. brass long body bib cock of approved quality, conforming to IS standards and weighing not less than 690 gms.	CP Bib Cock (Long Body) 15 mm	L&k / Prayag / JAL	Supply of C.P. brass long body bib cock of approved quality, conforming to IS standards	CP Bib Cock (Long Body) 15 mm	L&k / Prayag / JAL

[Handwritten signature]

91	Supply of CP Copper connection with nuts & washers of approved quality & make, Size 15 x 450 mm.	CP Copper connection without nut & washer 15 x 450 mm	Any make confirming the IS standards	Supply of CP Copper connection without nuts & washers of approved quality & make, Size 15 x 450 mm.	CP connection without nut & washer 15 x 450 mm	Any make confirming the IS standards
95	Supply of 8 mm dia C.P. Brass with flexible tube upto 1 metre long with S.S. plate/patti for European type W.C.	CP Jet Connection with Jet	L&k / Prayag /JAL	Supply of 8 mm dia C.P. Brass / SS Jet with flexible tube upto 1 metre long with S.S. triangular plates for European type W.C.	8 mm dia CP brass / SS Jet with flexible tube	L&k / Prayag /JAL
99	Supply of 4 inches stainless steel sink waste coupling / sink jali of approved quality & weight not less than 325 gram.	CP Waste/Jali for Steel Sink	Nirali/Frank y/Sunflex/R acold	Supply of 4 inches stainless steel sink waste coupling / sink jali of approved quality & weight not less than 325 gram.	Stainless steel sink with Waste coupling /Jali	Nirali/Franky/ Sunflex/Racol d
100	Supply of C.P. Hand shower chain/lead of approved quality & conforming to IS standards	CP Hand shower chain/lead	Nirali/Frank y/Sunflex/R acold	Supply of health faucet metal flexible hose 1 mtr long having chrome finish of approved quality & weight not less than 230 gm.	Health faucet metal flexible hose 1 mtr long	JAL brand / Jaguar/ Sunflex
101	Supply of C.P. Push cock of approved quality & conforming to IS standards, Size 15 mm	CP Push cock 15 mm	Nirali/Frank y/Sunflex/R acold	Supply of C.P. Push cock of approved quality & conforming to IS standards, Size 15 mm	CP Push cock 15 mm	L&K / PRAYAG/ Sunflex
102	Supply of stainless steel (grade SS 304) anti rust corrosion - free Soap holder/dish, weight not less than 230 gram, size 13 cm L x 13 cm W	CP Soap Dish 100 mm	Any make confirming the IS standards	Supply of stainless steel (grade SS 304) anti rust corrosion - free Soap holder/dish, weight not less than 230 gram, size 13 cm L x 13 cm W	Stainless steel Soap holder / Dish	Any make confirming the IS standards
112	Supply of PVC Flushing Cistern 10 Ltr of approved quality	PVC Flushing Cistern 10 Ltr	Parryware /Cera / Hindware	Supply of duel flushing Cistern with two flush option full flush (usually 6 ltr) and half flush (usually 3 ltr) for flushing solid and liquid waste.	Duel flushing cistern with two flushing option	Parryware /Cera / Hindware

11/09/2022

113	Supply of Seat Cover	PVC Cover	Seat	Parryware /Cera / Hindware	Supply of ISI marked white solid plastic seat and lid for European WC	White plastic seat and lid	Parryware /Cera / Hindware
-----	----------------------	-----------	------	----------------------------	---	----------------------------	----------------------------

The items listed in the tender document and BOQ at same serial number may be read as per the corrigendum notice.
The other terms and conditions of the NIT shall remain the same.

17/09/22
17.09.22
J. P. ...

Superintending Engineer

No. IWD/CO/2026-27/302 dated: 17.09.22