## INDIAN INSTITUTE OF TECHNOLOGY KANPUR DEPARTMENT OF COMPUTER SCIENCE & ENGG

То	IITK/CSE-42/NB-Fur-09 Dec 04, 2014

## Subject: Request for Furniture's quotation for the department.

We are interested in Manufacturing of Furniture for faculty rooms in our department, having following specification.

You are requested to send their quotations for the below specified products. The envelope must be inscribed with  $\underline{\text{``Quotations for FC-Furniture''}}$ .

<b>No</b>	MEETING D		m/Product Descriptions with the following specification	Qty
O1	Size	OVERALL HEIGHT	750 MM	/
	Size	OVERALL HEIGHT	1500 MM	
		WIDTH	600 MM	
	Material	BLOCK BOARD /PLY	000 141141	
	Масепаі	/VINEER BRAND	DURO/CENTURY/ARCHID/SONEAR	
		BLOCK BOARD	PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK	
		SPECIFICATIONS	HARD WOOD GURJON CORE AND PINE WOOD BATTONS	
		PLY	PHYNOL BONDED MULTI LAYER HOT PRESSED, WATER	
		SPECIFICATIONS	PROOF	
		VINEER	STEAM BEACH NATURAL VINEER	
		WOOD LIPPINGS	ALL THE FRONT EDGE SHALL BE SEALED WITH NATURAL STEEM BEACH SIZE 40x40MM with one grove at the center,	
			remaining 8MM thick (as per the edge).	
		FINISH	MALAMINE- PEDILITE/JEEVANJOR/ASIAN/BURGER	
	DESIGN	MODESTY	18MM THICK BLOCK BOARD WITH BOTH SIDE STEAM WOOD	
	DESIGN	MODESTT	VINEER SIZE 1700x600MM	
		GABLE ENDS	SIZE 600x725MM THICKNESSMM	
		GABLE ENDS	MODE OF STEAM WOOD WITH NATURAL STEAM VINEER	
		FINISH	STEAM BEACH WITH MALAMINE WOOD FINISH	
		LIMISH	STEAM BEACH WITH MALAMINE WOOD FINISH	
02	RECEPTION TABLE WITH DRAWAERS with the following specification			01
	Size	OVERALL HEIGHT	1050 MM	
		OVERALL LENGTH	2250 MM	
		WIDIH	1 800 MM	
	Material	BLOCK BOARD /PLY	800 MM  DURO/CENTURY/ARCHID/SONEAR	
	Material	BLOCK BOARD /PLY /VINEER BRAND	DURO/CENTURY/ARCHID/SONEAR	
	Material	BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD	DURO/CENTURY/ARCHID/SONEAR PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK	
	Material	BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS	
	Material	BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED,WATER	
	Material	BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY SPECIFICATIONS	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED, WATER PROOF	
	Material	BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY SPECIFICATIONS VINEER	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED, WATER PROOF STEAM BEACH NATURAL VINEER	
	Material	BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY SPECIFICATIONS	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED,WATER PROOF STEAM BEACH NATURAL VINEER ALL THE FRONT EDGE SHALL BE SEALED WITH NATURAL	
	Material	BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY SPECIFICATIONS VINEER	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED, WATER PROOF STEAM BEACH NATURAL VINEER ALL THE FRONT EDGE SHALL BE SEALED WITH NATURAL STEEM BEACH SIZE 40x40MM with one grove at the center,	
	Material	BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY SPECIFICATIONS VINEER WOOD LIPPINGS	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED, WATER PROOF STEAM BEACH NATURAL VINEER  ALL THE FRONT EDGE SHALL BE SEALED WITH NATURAL STEEM BEACH SIZE 40x40MM with one grove at the center, remaining 8MM thick (as per the edge).	
	Material	BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY SPECIFICATIONS VINEER WOOD LIPPINGS	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED,WATER PROOF STEAM BEACH NATURAL VINEER ALL THE FRONT EDGE SHALL BE SEALED WITH NATURAL STEEM BEACH SIZE 40x40MM with one grove at the center, remaining 8MM thick (as per the edge). HATTICH/HAFLEY/ebco/GODREJ	
		BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY SPECIFICATIONS VINEER WOOD LIPPINGS HARDWARE FINISH	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED, WATER PROOF STEAM BEACH NATURAL VINEER  ALL THE FRONT EDGE SHALL BE SEALED WITH NATURAL STEEM BEACH SIZE 40x40MM with one grove at the center, remaining 8MM thick (as per the edge).  HATTICH/HAFLEY/ebco/GODREJ  MALAMINE- PEDILITE/JEEVANJOR/ASIAN/BURGER	
	Material	BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY SPECIFICATIONS VINEER WOOD LIPPINGS	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED, WATER PROOF  STEAM BEACH NATURAL VINEER  ALL THE FRONT EDGE SHALL BE SEALED WITH NATURAL STEEM BEACH SIZE 40x40MM with one grove at the center, remaining 8MM thick (as per the edge).  HATTICH/HAFLEY/ebco/GODREJ  MALAMINE- PEDILITE/JEEVANJOR/ASIAN/BURGER TWO DRAWERS , One side storage cabinet with one drawer	
		BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY SPECIFICATIONS VINEER WOOD LIPPINGS HARDWARE FINISH	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED, WATER PROOF  STEAM BEACH NATURAL VINEER  ALL THE FRONT EDGE SHALL BE SEALED WITH NATURAL STEEM BEACH SIZE 40x40MM with one grove at the center, remaining 8MM thick (as per the edge).  HATTICH/HAFLEY/ebco/GODREJ  MALAMINE- PEDILITE/JEEVANJOR/ASIAN/BURGER  TWO DRAWERS, One side storage cabinet with one drawer and one door AND other side storage cabinet with single door	
		BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY SPECIFICATIONS VINEER WOOD LIPPINGS  HARDWARE FINISH DRAWERS	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED, WATER PROOF  STEAM BEACH NATURAL VINEER  ALL THE FRONT EDGE SHALL BE SEALED WITH NATURAL STEEM BEACH SIZE 40x40MM with one grove at the center, remaining 8MM thick (as per the edge).  HATTICH/HAFLEY/ebco/GODREJ  MALAMINE- PEDILITE/JEEVANJOR/ASIAN/BURGER  TWO DRAWERS, One side storage cabinet with one drawer and one door AND other side storage cabinet with single door with Godrej Multipurpose lock.	
		BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY SPECIFICATIONS VINEER WOOD LIPPINGS  HARDWARE FINISH DRAWERS	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED, WATER PROOF  STEAM BEACH NATURAL VINEER  ALL THE FRONT EDGE SHALL BE SEALED WITH NATURAL STEEM BEACH SIZE 40x40MM with one grove at the center, remaining 8MM thick (as per the edge).  HATTICH/HAFLEY/ebco/GODREJ  MALAMINE- PEDILITE/JEEVANJOR/ASIAN/BURGER TWO DRAWERS, One side storage cabinet with one drawer and one door AND other side storage cabinet with single door with Godrej Multipurpose lock.  STEAM BEACH WITH MALAMINE WOOD FINISH	
		BLOCK BOARD /PLY /VINEER BRAND BLOCK BOARD SPECIFICATIONS PLY SPECIFICATIONS VINEER WOOD LIPPINGS  HARDWARE FINISH DRAWERS	DURO/CENTURY/ARCHID/SONEAR  PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK HARD WOOD GURJON CORE AND PINE WOOD BATTONS PHYNOL BONDED MULTI LAYER HOT PRESSED, WATER PROOF  STEAM BEACH NATURAL VINEER  ALL THE FRONT EDGE SHALL BE SEALED WITH NATURAL STEEM BEACH SIZE 40x40MM with one grove at the center, remaining 8MM thick (as per the edge).  HATTICH/HAFLEY/ebco/GODREJ  MALAMINE- PEDILITE/JEEVANJOR/ASIAN/BURGER  TWO DRAWERS, One side storage cabinet with one drawer and one door AND other side storage cabinet with single door with Godrej Multipurpose lock.	

04	4 BOOK STAND with the following specification			
	SIZE	OVERALL HEIGHT	2275MM	
		OVERALL DEPTH	450MM UPTO HEIGHT 650 Remaining 300MM	
		WIDTH	600MM	
		BLOCK BOARD /PLY /VINEER BRAND	DURO/CENTURY/ARCHID/SONEAR	
	MATERILA	BLOCK BOARD	PHYNOL BONDED HARD PRESSED WITH 2/2.5MM THICK	
		SPECIFICATIONS	HARD WOOD GURJON CORE AND PINE WOOD BATTONS	
		PLY	PHYNOL BONDED MULTI LAYER HOT PRESSED, WATER	
		SPECIFICATIONS	PROOF	
	1	VINEER	STEAM BEACH NATURAL VINEER	
		WOOD LIPPINGS	ALL THE FRONT EDGE SHALL BE SEALED WITH NATURAL	
			STEEM BEACH SIZE 40x40MM with one grove at the centre,	
			remaining 8MM thick (as per the edge).	
		HARDWARE	HATTICH/HAFLEY/ebco/GODREJ	
		FINISH	MALAMINE- PEDILITE/JEEVANJOR/ASIAN/BURGER	
		OPEN SHELVES	TWO NOS AT THE BOTTAM SIZE APPROX. 600x450x300MM	
			ONE APPROX SIZE 600x300x150MM	
			ONE APPROX SIZE 600x300x300MM	
			THREE APPROX. SIZE 600x300x325MM	
	DESIGN	FINISH	STEAM BEACH WITH MALAMINE WOOD FINISH	

## **Important Note:**

- The manufacturers, who has worked/supply successfully in IIT Kanpur shall be given preference. Please enclose Feedback/certificate(s), dully verified by the respective user(s).
- This furniture need to be <u>manufactured "ON SITE"</u>, in Departmental New Building, as per individual rooms size, with in a stipulated time frame.
- A random quality check will be done by the department's representative(s) and if not found up to the mark, the
  faulty manufactured product will be discarded and all the losses/liabilities occurred due this, shall be solely
  borne by the vendor. The institute shall not be responsible for any loss occurred due to such action(s).
- A rough Drawing has been attached for your reference.
- Specify **ISI certified brand's name** of the various material, to be used in manufacturing.
- The number of room-sets **may increase or decrease**, while ordering.


## **Terms and conditions:**


- The <u>samples</u>, wherever asked for, will not be paid for. These should be delivered in the office of the undersigned, securely labeled. The liability of to and fro freight is vendor responsibility, if applicable and should be pre-paid.
- All quotation must reach undersigned on or before Dec 11,2014 at 1500 hrs.
- Quotation must be valid for 60 days.
- All prices are to be FOR IIT Kanpur.
- The final delivery period should not be more than 4 weeks. The institute is exempted for payment of Excise duty under notification No. 10/97 & partially custom duty (@5.15%), under notification 51/96 and a road permit will be provided, if applicable. The Concessional Form 'C/D' have been abolished w. e. f. Apr 01, 2007.
- Our standard payment terms and conditions is 90% on installation and 10% after inspection and approval.
- The <u>Penalty</u> @1% per week or part thereof subject to max 10% of the delivery price will be deducted from the balance payment, if supply is not completed within stipulated period.

P Tiwari rpt@cse.iitk.ac.in Mobile: 94512 87700

Mailing Address: Department Of Computer Science & Engineering

Indian Institute Of Technology Kanpur 208 016 (India)





I lem No: \$3